Example of TEX Format for AQIS Pre-Proceedings

Kae Nemoto¹ *

Michele Mosca² †

Hiroshi Imai^{3 ‡}

National Institute of Informatics,
2-1-2 Hitotsubashi, Chiyoda-ku, Tokyo, Japan.
Institute for Quantum Computing,
University of Waterloo,
Waterloo, ON, N2L 3G1, Canada.

³ Department of Computer Science, Graduate School of Information Science and Technology, the University of Tokyo,

7-3-1, Hongo, Bunkyo-ku, Tokyo, Japan.

Abstract. Please substitute this for your 100-words abstract.

Keywords: AQIS, template

1 Format of the Manuscripts

The camera-ready version should be submitted via the camera-ready submission page. It should follow the style described below.

Basic Format:

- The manuscript should be typeset with the style files available at http://www.qci.jst.go.jp/aqis10 /camera_ready.html and prepared in PDF¹.
- The manuscript should not exceed two pages including the title page, using A4-sized papers.
- No page of the manuscript should contain page numbers/page headings.

Layout:

- The manuscript should have top-, foot-, and sidemargins of 2cm, 2.5cm, and 1.5cm, respectively (the title page should have top margin of 3cm.)
- The manuscript should begin with a title, followed by names, affiliations and postal addresses of authors, followed by a 100-word abstract and keywords. The main body should use two-column style. E-mail addresses of authors should be placed in footnotes.

2 Theorems and Proofs

Our style file prepares the following environments.

Environment name	Heading
definition	Definition
theorem	Theorem
lemma	Lemma
corollary	Corollary
proposition	Proposition
example	Example
remark	Remark
fact	Fact
conjecture	${f Conjecture}$

3 Figures and Tables

For figures and tables, the captions should be placed below figures and above tables.

4 Bibliography Styles

The following bibliography style used in this document is preferable. The authors may use common abbreviations for journal and conference names.

References

- [1] L. K. Grover. A fast quantum mechanical algorithm for database search. In *Proc. of the 28th ACM STOC*, pages 212–219, 1996.
- [2] J. Gruska. Quantum Computing. McGraw-Hill, 1999.
- [3] A. S. Holevo. The capacity of quantum channel with general signal states. quant-ph/9611023, 1996.
- [4] P. W. Shor. Polynomial-time algorithms for prime factorization and discrete logarithms on a quantum computer. SIAM J. on Comp., 26(5):1484–1509, 1997.

^{*}nemoto@nii.ac.jp

[†]mmosca@iqc.uwaterloo.ca

[‡]imai@is.s.u-tokyo.ac.jp

¹When you create PDF file from your manuscript source (especially from MS-Word), please select fonts carefully for some fonts cannot be handled well by PDF creating system.